

	Type	Search Text	DBs
1	BRS	((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	(((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (creat\$3 near4 (profile or record or history))) and (network near2 usage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	(((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (creat\$3 near4 (profile or record or history)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	(((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (creat\$3 near4 (profile or record or history))) and ((confidentiality or privacy) near3 user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	(((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (creat\$3 near4 (profile or record or history))) and ((alias or anonymize\$1) near3 (user or ID or identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	"5961593".pn.	USPAT
7	BRS	"6591291".pn.	USPAT

	Type	Search Text	DBs
8	BRS	(((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (creat\$3 near4 (profile or record or history))) and (demographic near3 (information or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (creat\$3 near4 (profile or record or history))) and (demographic near3 (information or data))) not (((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (creat\$3 near4 (profile or record or history))) and (network near2 usage)) or (((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (creat\$3 near4 (profile or record or history))) and ((confidentiality or privacy) near3 user)) or (((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (creat\$3 near4 (profile or record or history))) and ((alias or anonymize\$1) near3 (user or ID or identifier))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	("5999971" "6275934" "6286098" "6289318").PN.	USPAT

	Type	Search Text	DBs
11	BRS	("5109486" "5230048" "5465206" "5557746" "5668955" "5757798" "5761502" "5778350" "5781729" "5784443" "5793853" "5794221" "5799321" "5802502" "5815556" "5852812" "5878420" "5920847" "5926104" "5949782" "5956391" "5956690" "5958009" "5958010" "5978780" "5991746" "5999604" "6002948" "6009154" "6014691" "6032147" "6038551" "6047051" "6047268" "6058380" "6069941" "6078907" "6088706" "6112236" "6118936" "6119160" "6151601" "6157648" "6175867" "6199195" "6230203" "6243667" "6272126" "6282267" "6308148" "6327049" "6359976" "6377567" "6381306" "6385301" "6418467").PN.	USPAT
12	BRS	(((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (((data or information) near2 collect\$3) with (user near3 (confidential\$3 or priva\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Search Text	DBs
13	BRS	((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and ((data or information) near2 collect\$3) and (user near3 (confidential\$3 or priva\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (user near3 (confidential\$3 or priva\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	((network near2 usage) with ((data or information) near3 collect\$3)) and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	collect\$4 and aggregat\$3 and data and (network near2 usage) and profile and user and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	((((network or internet) near3 (traffic or usage or data)) with collect\$3) and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	(((((network or internet) near3 (traffic or usage or data)) with collect\$3) and @ad<"20000630") and (((user or customer or behavior) near2 (profile or record or history)) with (privacy or confidential\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	713/200;709/223-224;705/10.ccls. and @ad<"20000630"	US-PGPUB; USPAT
20	BRS	(713/200;709/223-224;705/10.ccls. and @ad<"20000630") and (((internet or network) near3 (usage or traffic or data)) with collect\$3)	US-PGPUB; USPAT

	Type	Search Text	DBs
21	BRS	((713/200;709/223-224;705/10.ccls. and @ad<"20000630") and (((internet or network) near3 (usage or traffic or data)) with collect\$3)) and ((user or customer or behavior) near2 (profile or record or history))	US-PGPUB; USPAT
22	IS&R	("5315580").PN.	USPAT; USOCR
23	IS&R	("5317564").PN.	USPAT; USOCR
24	BRS	(network adj usage) and (online adj privacy) and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	(network adj traffic) and (online adj privacy) and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	(online adj privacy) and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	BRS	705/14,74.ccls. and @ad<"20000630"	US-PGPUB; USPAT
28	BRS	(705/14,74.ccls. and @ad<"20000630") and ((user or client or customer) near3 (privacy or confidentiality))	US-PGPUB; USPAT
29	BRS	(705/14,74.ccls. and @ad<"20000630") and (anonym\$3 near2 (user or customer or client))	US-PGPUB; USPAT

	Type	Search Text	DBs
30	BRS	("5109486" "5230048" "5465206" "5557746" "5668955" "5757798" "5761502" "5778350" "5781729" "5784443" "5793853" "5794221" "5799321" "5802502" "5815556" "5852812" "5878420" "5920847" "5926104" "5949782" "5956391" "5956690" "5958009" "5958010" "5978780" "5991746" "5999604" "6002948" "6009154" "6014691" "6032147" "6038551" "6047051" "6047268" "6058380" "6069941" "6078907" "6088706" "6112236" "6118936" "6119160" "6151601" "6157648" "6175867" "6199195" "6230203" "6243667" "6272126" "6282267" "6308148" "6327049" "6359976" "6377567" "6381306" "6385301" "6418467").PN.	USPAT
31	BRS	(network adj usage) and (user near3 (privacy or confidentiality)) and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	(network adj (usage or manag\$5)) and (user near3 (privacy or confidentiality)) and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Search Text	DBs
33	BRS	((network adj (usage or manag\$5)) and (user near3 (privacy or confidentiality)) and @ad<"20000630") not ((network adj usage) and (user near3 (privacy or confidentiality)) and @ad<"20000630")	US-PGPUB; USPAT
34	BRS	(hash\$3 near3 (id or identifier or IP)) with (database or record) and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	((mobile adj subscriber adj lsdn) or msisdn) and @ad<"20000630"	US-PGPUB; USPAT
36	BRS	((mobile adj subscriber adj lsdn) or msisdn) near2 unique)and @ad<"20000630"	US-PGPUB; USPAT
37	IS&R	("6683954").PN.	USPAT; USOCR
38	BRS	((area adj code) near5 (exchange)) with classification) and @ad<"20000630"	US-PGPUB; USPAT
39	BRS	((area adj code) with (exchange)) same classification) and @ad<"20000630"	US-PGPUB; USPAT
40	BRS	((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	BRS	((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (creat\$3 near4 (profile or record or history))) and (network near2 usage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Search Text	DBs
42	BRS	(((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (creat\$3 near4 (profile or record or history))) and (network near2 usage)) and anonym\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	(((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (creat\$3 near4 (profile or record or history))) and ((confidentiality or privacy) near3 user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	(((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (creat\$3 near4 (profile or record or history))) and ((alias or anonymize\$1) near3 (user or ID or identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Search Text	DBs
45	BRS	((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (creat\$3 near4 (profile or record or history))) and (demographic near3 (information or data))) not ((((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (creat\$3 near4 (profile or record or history))) and (network near2 usage)) or ((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (creat\$3 near4 (profile or record or history))) and ((confidentiality or privacy) near3 user)) or ((((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (creat\$3 near4 (profile or record or history))) and ((alias or anonymize\$1) near3 (user or ID or identifier))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	("5999971" "6275934" "6286098" "6289318").PN.	USPAT

	Type	Search Text	DBs
47	BRS	("5109486" "5230048" "5465206" "5557746" "5668955" "5757798" "5761502" "5778350" "5781729" "5784443" "5793853" "5794221" "5799321" "5802502" "5815556" "5852812" "5878420" "5920847" "5926104" "5949782" "5956391" "5956690" "5958009" "5958010" "5978780" "5991746" "5999604" "6002948" "6009154" "6014691" "6032147" "6038551" "6047051" "6047268" "6058380" "6069941" "6078907" "6088706" "6112236" "6118936" "6119160" "6151601" "6157648" "6175867" "6199195" "6230203" "6243667" "6272126" "6282267" "6308148" "6327049" "6359976" "6377567" "6381306" "6385301" "6418467").PN.	USPAT
48	BRS	(((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (((data or information) near2 collect\$3) with (user near3 (confidential\$3 or priva\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Search Text	DBs
49	BRS	(((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and ((data or information) near2 collect\$3) and (user near3 (confidential\$3 or priva\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	((network near2 usage) with ((data or information) near3 collect\$3)) and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	((713/200;709/223-224;705/10.ccls. and @ad<"20000630") and (((interntet or network) near3 (usage or traffic or data)) with collect\$3)) and ((user or customer or behavior) near2 (profile or record or history))	US-PGPUB; USPAT
52	BRS	(705/14,74.ccls. and @ad<"20000630") and ((user or client or customer) near3 (privacy or confidentiality))	US-PGPUB; USPAT
53	BRS	(705/14,74.ccls. and @ad<"20000630") and (anonym\$3 near2 (user or customer or client))	US-PGPUB; USPAT

	Type	Search Text	DBs
54	BRS	("5109486" "5230048" "5465206" "5557746" "5668955" "5757798" "5761502" "5778350" "5781729" "5784443" "5793853" "5794221" "5799321" "5802502" "5815556" "5852812" "5878420" "5920847" "5926104" "5949782" "5956391" "5956690" "5958009" "5958010" "5978780" "5991746" "5999604" "6002948" "6009154" "6014691" "6032147" "6038551" "6047051" "6047268" "6058380" "6069941" "6078907" "6088706" "6112236" "6118936" "6119160" "6151601" "6157648" "6175867" "6199195" "6230203" "6243667" "6272126" "6282267" "6308148" "6327049" "6359976" "6377567" "6381306" "6385301" "6418467").PN.	USPAT
55	BRS	(network adj usage) and (user near3 (privacy or confidentiality)) and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	BRS	(target\$3 near2 advertis\$5) with (zip or "area code" or state)	USPAT
57	BRS	(((network or online or internet) near3 (behavior or user) with (profile or history or record)) and (@ad<"20000630" or @rlad<"20000630")) and (creat\$3 near4 (profile or record or history))) and (network near2 usage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Search Text	DBs
58	BRS	("4837798" "5309355" "5347632" "5404393" "5404505" "5422809" "5442771" "5459859" "5491820" "5530852" "5555407" "5572643" "5594910" "5623652" "5649186" "5675780" "5710886" "5740549" "5742762").PN.	US-PGPUB; USPAT; USOCR
59	BRS	("5901287").URPN.	USPAT
60	BRS	muret.in.	US-PGPUB; USPAT
61	BRS	(((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and (@ad<"20000630" or @rlad<"20000630")) and (creat\$3 near4 (profile or record or history))) and (network near2 usage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	BRS	S93 and (anonym\$3 or pseudonym or alias\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	BRS	S94 not anonymous	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	BRS	S93 and ((confidential\$3 or priva\$2 or sensitive) near5 (data or information or user or personal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	BRS	S93 and ((anonymized or pseudonym or alias\$2) near3 (user or ID or identif\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Search Text	DBs
66	BRS	((network or online or internet) near3 (behavior or user) with (profile or history or record)) and (@ad<"20000630" or @rlad<"20000630")) and (((data or information) near2 collect\$3) with (user near3 (confidential\$3 or priva\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	BRS	((network or online or internet) near3 (behavior or user) with (profile or history or record)) and (@ad<"20000630" or @rlad<"20000630")) and ((data or information) near2 collect\$3) and (user near3 (confidential\$3 or priva\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
68	BRS	S102 and ((anonymized or pseudonym or alias\$2) near3 (user or ID or identif\$7))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
69	BRS	((network near2 usage) with ((data or information) near3 collect\$3)) and (@ad<"20000630" or @rlad<"20000630"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	BRS	S105 and ((anonymized or pseudonym or alias\$2) near3 (user or ID or identif\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	BRS	((713/200;709/223-224;705/10.ccls. and (@ad<"20000630" or @rlad<"20000630")) and (((internet or network) near3 (usage or traffic or data)) with collect\$3)) and ((user or customer or behavior) near2 (profile or record or history))	US-PGPUB; USPAT

	Type	Search Text	DBs
72	BRS	(705/14,74.ccls. and @ad<"20000630") and ((user or client or customer) near3 (privacy or confidentiality))	US-PGPUB; USPAT
73	BRS	(705/14,74.ccls. and (@ad<"20000630" or @rlad<"20000630")) and ((user or client or customer) near3 (privacy or confidentiality or sensitive))	US-PGPUB; USPAT
74	BRS	S109 and ((anonymized or pseudonym or alias\$2) near3 (user or ID or identif\$7))	US-PGPUB; USPAT
75	BRS	(network adj usage) and (user near3 (privacy or confidentiality)) and (@ad<"20000630" or @rlad<"20000630")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	BRS	(target\$3 near2 advertis\$5) with (zip or "area code" or state)	USPAT
77	BRS	S112 and @ad<"20000630"	USPAT
78	BRS	((anonymized or pseudonym or alias\$2) near3 (user or ID or identif\$7 or name)) same (isp or ((internet or network) near2 provider))	US-PGPUB; USPAT
79	BRS	S114 and ((collect\$3 near5 (usage or behavior or pattern or transaction or data or information)) same database)	US-PGPUB; USPAT
80	BRS	S115 and (@ad<"20000630" or @rlad<"20000630")	US-PGPUB; USPAT
81	BRS	(isp or ((internet or network) near2 provider)) with ((collect\$3 near5 (usage or behavior or pattern or transaction or data or information)) same database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Search Text	DBs
82	BRS	S117 and (@ad<"20000630" or @rlad<"20000630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
83	BRS	database with ((fault or disaster) near3 (toleran\$2 or recover\$3)) with ((remote or off\$1site or off adj site) near3 (location or site or database))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
84	BRS	S125 and (@ad<"20000630" or @rlad<"20000630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB